

# Cerabit

Porcelain. Unglazed.  
External Wall

## < COLORS >



CB-1



CB-2




CB-6



product form	Size (mm)	thickness (mm)	Sheets/Box	sq.m./Box	Weight kg/Box
Unit	362×126	10~12	18	0.81	20

## < Unit >



### <Note>

\* A tile-uniting material may be visible through the joints between tiles. \* Mounting lead time is 1 week at the shortest. \* This is randomly mixed unit of approx. ②37x60x12mm travertine look and approx. ①75x60x10mm split surface. \* Because the tiles are split on the sides as design intent, tile shapes are different vertically and joints are not straight. \* Joint of 3 to 4mm vertically and 3mm horizontally is recommended. \* Please check the availability even for stocked item. (Approx. 45 days if out of stock) \* Minimum order quantity is 300m<sup>2</sup> for made-to-order color. The price may vary depending on the color. (Subject to confirmation.) \* In addition to ceramicware natural shade variation, it always has color, shade and size variation between batch to batch. \* CB-2 has wide shade variation and pattern due to mixing of 2 different clays. \* Color and texture in print may look different from that of actual pieces. Please check the sample before final selection. \* Specifications may be changed without notice.

### <Installation Precautions>

\* Because this is unglazed rough texture, tuck point grouting is recommended. Do not apply the grout to surface. \* Please note it is difficult to remove the adhesive once it stuck to surface. \* Please do not install without joint, otherwise it will cause chipping edge and tile falling off.

### <Recommended Installing Method>

This tile requires use of adhesive for installation.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# KOHSAI


Porcelain. Glazed.  
External Wall

Luster like oxidized silver / Smoky  
Reproduce rainbow colors / Aurora


## <COLORS>



SU (Smoky)



OR (Aurora)



A mixed example of "SU"  
and "MOD-006"  
from the "Modern Tessera" series.

A mixed example of  
"Flat" and "Tessera".



\*We manufacture environmentally friendly products.  
(30-70% recycling rate of waste soil from the ceramics industry)

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box	Color
Flat	227×40	10	120	0.85	24	SU,OR
Flat	192×92	10	60	0.83	24	OR
Tessera	227×40	15	75	0.73	23	SU

\* Make-to-order products

\* Make-to-order products

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*Please note that there may be differences in color tone,color width, dimensions, etc.

between the sample lot and the shipping lot due to differences in the production period.

\*Corner tiles are made by bonding. Cancellation or quantity change is not accepted for trim tiles after we started their production.

\*Custom-made products are over 100m<sup>2</sup>.

\*For custom colors, shapes, and thickness, please ask.

\*When ordering, please check the availability of stock each time and the delivery date after receiving the order.

\*The glaze on the surface will not come off even if you touch it with your hand or rub it lightly, but if it gets dirty,it will be noticeable.

(There was no change in the JIS standard chemical resistance test (5 items))

(hydrochloric acid, potassium hydroxide, citric acid, ammonium chloride)



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Thunder Rock

No Gloss Unglazed  
External Wall

## < COLORS >



TR-2



TR-4



TR-5



TR-6




TR-7

Corner



## < Unit >



\*The tile requires use of adhesives for installation.

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Unit	340×255	8+16	10sheets	0.58	20
Piece	227×40	8+16	57	0.55	19
Corner	①(148+35)×40 ②(55+128)×40 ③(103+80)×40	10	117	—	19

\* Make-to-order products

- \*All sizes are nominal\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.
- \*There are shade variations.\*Some edges may look chipped as this product is actually split.
- \*It is not possible to specify any particular split surfaces.\*Corner tiles are made by bonding.(Corner unit are not bonding.)
- \*This is a made-to-order product.Minimum order quantity is 300 m<sup>2</sup>.\*A tile-uiting material may be visible at the joints between tiles.
- \*Do not spread-grout.\*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation.
- \*For custom colors, shapes, and thickness, please ask.\*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)




# Patara


Porcelain. Unglazed.

External Wall


## <COLORS>



PA-1



PA-5



PA-7



PA-2



PA-6

By Okan Caliskan



\*The tile requires use of adhesives for installation.

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Tessera	294×194	13	12	0.70	20

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*There are shade variations.

\*Some edges may look chipped as this product is actually split.

\*It is not possible to specify any particular split surfaces.

\*Corner tiles are made by bonding.(Corner unit are not bonding.)

\*This is a made-to-order product.Minimum order quantity is 300 m<sup>2</sup>.

\*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation.

\*Do not spread-grout.

\*For custom colors, shapes, and thickness, please ask.

\*Specifications and colors may be altered without notice.

\*The price varies depending on the color.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# NAMI\_art

No Gloss Unglazed  
External Wall



## < COLORS >




NA-KH-1




NA-KH-2



NA-KH-3



NA-KH-5




NA-KH-6



\*The tile requires use of adhesives for installation.

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Piece	227 × 40	12	90	0.98	20
Unit	340 × 255	12	16 sheets/Box	0.94	22

< Unit >  
6pcs/unit



\* Make-to-order products

\*All sizes are nominal \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection. \*There are shade variations. \*Some edges may look chipped as this product is actually split. \*It is not possible to specify any particular split surfaces.

\*Dimples on the surface are not defects. \*Corner tiles are made by bonding.(Corner unit are not bonding.) \*This is a made-to-order product. Minimum order quantity is 300m<sup>2</sup>. \*A tile-uniting material may be visible at the joints between tiles.

\*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation. \*Do not spread-grout. \*For custom colors, shapes, and thickness, please ask. \*Specifications and colors may be altered without notice.\*The price varies depending on the color.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Modern U

No Gloss Unglazed  
External Wall



## < COLORS >



MODU-001



MODU-002



MODU-004



MODU-005



MODU-006




MODU-007



## < Unit >

6 pcs/unit  
Tessera 3pcs  
Flat 3pcs



product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Unit	258×343	10~14	16	0.94	25.5
Tessera	227×40	14	90	1.01	27
Flat	227×40	10	120	1.34	24

\* Make-to-order products

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*There are shade variations.

\*Some edges may look chipped as this product is actually split.

\*It is not possible to specify any particular split surfaces.

\*Corner tiles are made by bonding.(Corner unit are not bonding.)

\*This is a made-to-order product.Minimum order quantity is 300 m<sup>2</sup>.

\*A tile-uniting material may be visible at the joints between tiles.

\*The unit requires use of adhesives for installation.

\*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation.

\*Do not spread-grout.

\*For custom colors, shapes, and thickness, please ask.

\*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# KOMOREBI

No Gloss Unglazed  
External Wall

## < COLORS >



KM-V-1




KM-V-2



KM-V-3



KM-V-5



KM-V-6



< Unit >  
6pcs/unit



Corner Unit



product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Piece	227 × 30	12	144	1.09	26
Unit	353 × 198	12	22 sheet/Box	1	22
Corner Unit	164 × 198	12	44 sheet/Box	4 m/Box	20



\* Make-to-order products

\* Make-to-order products

\*All sizes are nominal \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection. \*There are shade variations. \*Some edges may look chipped as this product is actually split. \*It is not possible to specify any particular split surfaces. \*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation. \*Corner tiles are made by bonding. (Corner unit are not bonding.) \*A tile-uniting material may be visible at the joints between tiles. \*Unit requires use of adhesives for installation. \*Do not spread-grout. \*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation. \*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Piccola

No Gloss Unglazed  
External Wall

## < COLORS >




PCU-1



PCU-2




PCU-3



PCU-4



PCU-5




PCU-6



\* Make-to-order products

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Unit	275 × 198	10~30	14	0.66	24
Corner Unit	113 × 198	10~30	18	1.71	12



\*All sizes are nominal \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection. \*There are shade variations. \*Some edges may look chipped as this product is actually split. \*It is not possible to specify any particular split surfaces. \*Dimples on the surface are not defects. \*The color of a cut edge may look different from the tile surface.\*A tile-uniting material may be visible at the joints between tiles. \*Unit requires use of adhesives for installation. \*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation.\*Do not spread-grout. \*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Concert

No Gloss Unglazed  
External Wall

## < COLORS >



1



2



3



4



5



6



7



8

## <Combination>



Legato

227×30×10 Tessera



Cantabile

227×30×10 Tessera  
227×30×10~30 Tessera  
1:1 MIX



Forte


227×30×10~30 Tessera



Internal wall Internal floor Bathroom floor External wall External floor Frost resistant

product form	Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
Legato	227×30	10	176	1.33	27
Forte	227×30	10~30	80	0.60	24
Cantabile	227×30	10~30	120	0.90	27
Cantabile Unit	350×195	10~30	16 sheets/Box	0.72	22
Corner Unit	163×195	10~30	22 sheets/Box	2 m/Box	19

<Unit>  
6pcs/unit



\* Make-to-order products

\* Make-to-order products

\*All sizes are nominal \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection. \*There are shade variations. \*Some edges may look chipped as this product is actually split. \*It is not possible to specify any particular split surfaces. \*Dimples on the surface are not defects. \*Corner tiles are made by bonding.(Corner unit are not bonding.) \*This is a made-to-order product. Minimum order quantity is 300m<sup>2</sup>. \*A tile-uniting material may be visible at the joints between tiles. \*Unit requires use of adhesives for installation. \*Reduction or cancellation of units and corner tiles cannot be acceptable after each order confirmation. \*Do not spread-grout. \*For custom colors, shapes, and thickness, please ask. \*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Modern Tessera

No Gloss Unglazed  
External Wall




## < COLORS >



MOD-001




MOD-002



MOD-003 (\*1)




MOD-004




MOD-005



MOD-006



MOD-007



MOD-008 (\*2)



Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×40	15	90	1.01	27
227×40	10	120	1.01	24
227×60	15	60	0.95	27

\*1: Size 227×40×14 Tessera and 227×60×14 Tessera Made-to-order products

\*2: Size 227×40×10 Flat Made-to-order product

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*There are shade variations.

\*Some edges may look chipped as this product is actually split.

\*It is not possible to specify any particular split surfaces.

\*Corner tiles are made by bonding.

\*This is a made-to-order product. Minimum order quantity is 300 m<sup>2</sup>.

\*Do not spread-grout.

\*For custom colors, shapes, and thickness, please ask.

\*Specifications and colors may be altered without notice.




鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Cercle

No Gloss Unglazed  
External Wall





## < COLORS >



CC-006



CC-007



Internal wall Internal floor Bathroom floor External wall External floor Frost resistant

Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×40	7+13	69	0.77	24

- \*All sizes are nominal
- \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.
- \*There are shade variations.
- \*Corner tiles are made by bonding.
- \*This is a made-to-order product. Minimum order quantity is 300 m<sup>2</sup>.
- \*Do not spread-grout.
- \*Specifications and colors may be altered without notice.



CC-007 & MOD-007

10.2015



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# BMX Tessera

Porcelain. Unglazed.  
External Wall



## <COLORS>



501



502




504



505



508




LE1



LE2



LE5



LE6 **New**



LE7



Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×90	12.5	52	1.18	27



- \*All sizes are nominal
- \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.
- \*There may be uneven shade variations because of its two-color blend.
- \*There are shade variations.
- \*Some edges may look chipped as this product is actually split.
- \*It is not possible to specify any particular split surfaces.
- \*Corner tiles are made by bonding.
- \*This is a made-to-order product. Minimum order quantity is 200 m<sup>2</sup>.
- \*Do not spread-grout.
- \*For custom colors, shapes, and thickness, please ask.
- \*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# SK Tessera

No Gloss Unglazed  
External Wall




## < COLORS >




SK-1



SK-2




SK-3




SK-4




SK-5



SK-6



SK-8



SK-231



Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×60	15	60	0.92	27
108×60	15	120	0.94	26
200×40	15	90	0.89	24
227×40	15	90	1.01	27



\* Make-to-order products

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*There are shade variations.

\*Some edges may look chipped as this product is actually split.

\*It is not possible to specify any particular split surfaces.

\*Corner tiles are made by bonding.

\*This is a made-to-order product. Minimum order quantity is 300 m<sup>2</sup>.

\*Do not spread-grout.

\*For custom colors, shapes, and thickness, please ask.

\*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Tessera Excel

No Gloss Unglazed  
External Wall



## < COLORS >



EX-1



EX-2



EX-3



EX-4



EX-5



EX-6



EX-7



EX-8

Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×60	15	60	0.95	27
227×60	10	92	1.46	27



- \*All sizes are nominal
- \*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.
- \*There are shade variations.
- \*Some edges may look chipped as this product is actually split.
- \*It is not possible to specify any particular split surfaces.
- \*Corner tiles are made by bonding.
- \*This is a made-to-order product. Minimum order quantity is 400 m<sup>2</sup>.
- \*Do not spread-grout.
- \*For custom colors, shapes, and thickness, please ask.
- \*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)



# Tessera Slender

No Gloss Unglazed  
External Wall




## < COLORS >



TS-1




TS-2




TS-3



TS-4




TS-5



TS-6



TS-SK1



Size (mm)	thickness (mm)	pcs/Box	sq.m./Box	Weight kg/Box
227×60	10	92	1.46	27

\*All sizes are nominal

\*Printed color reproductions may vary from actual tile color. Please refer actual sample before final selection.

\*There are shade variations.

\*Some edges may look chipped as this product is actually split.

\*It is not possible to specify any particular split surfaces.

\*Corner tiles are made by bonding.

\*This is a made-to-order product. Minimum order quantity is 400 m<sup>2</sup>.

\*Do not spread-grout.

\*For custom colors, shapes, and thickness, please ask.

\*Specifications and colors may be altered without notice.



鈴製陶株式会社  
Suzuseito Co., Ltd.

4512 Kasahara-cho, Tajimi-shi, Gifu, Japan 507-0901  
TEL:+81-572-43-3588 FAX:+81-572-43-5400  
URL:<http://suzuseito.co.jp> e-mail:[info@suzuseito.co.jp](mailto:info@suzuseito.co.jp)